1. (Cancelled)

- 2. (Currently Amended) The method of claim <u>8</u>, <u>1</u>, wherein the polymer is from the group comprising a polyimide and a polystyrene.
- 3. (Currently Amended) The method of claim <u>8</u>, <u>1</u>, wherein the polymer layer is applied to the surface in previously defined regions.
- 4. (Currently Amended) The method of claim <u>8</u>, <u>1</u>, wherein an electric charge is imparted to the surface of the polymer layer, at least in sectional fashion, by plasma treatment.
- 5. (Currently Amended) The method of claim <u>8, 1,</u> wherein UV-reactive molecules are covalently immobilized by irradiation with UV light.
- 6. (Currently Amended) The method of claim <u>8</u>, <u>1</u>, wherein the polymer layer is activated, at least in sectional fashion, in an oxygen plasma.
- 7. (Currently Amended) The method of claim <u>8</u>, <u>1</u>, wherein a portion of the surface of the polymer layer is utilized for application with an integrated circuit.
- 8. (Previously Presented) A method for immobilizing molecules on a surface, comprising the steps of applying a layer of a hydrophobic polymer to the surface, and immobilizing molecules on a

surface of the layer.

- 9. (Previously Presented) The method of claim 8, where the polymer is a polyimide.
- 10. (Previously Presented) The method of claim 8, where the polymer is a polystyrene.
- 11. (Previously Presented) The method of claim 8, further comprising the steps of forming at least one defined region on the surface, and applying the layer of a hydrophobic polymer to the at least one defined region on the surface.
- 12. (Previously Presented) The method of claim 8, where the polymer layer is activated in an oxygen plasma.
- 13. (Previously Presented) The method of claim 8, where UV-reactive molecules are covalently immobilized by irradiation with UV light.
- 14. (Previously Presented) The method of claim 8, where an electric charge is imparted to the surface of the polymer layer by plasma treatment.
- 15. (Previously Presented) The method of claim 8, where the molecules are biomolecules.
- 16. (Previously Presented) The method of claim 8, where the polymer comprises a non-swelling polymer.

- 17. (Previously Presented) The method of claim 8, where the surface to which the polymer layer is applied may comprise an inorganic material.
- 18. (Previously Presented) The method of claim 17, where the inorganic material is a semiconductor material.
- 19. (Previously Presented) The method of claim 18, where the semiconductor material comprises silicon.
- 20. (Previously Presented) The method of claim 17, where the inorganic material is a semiconducting oxide.
- 21. (New) The method of claim 8, where the step of immobilizing molecules on a surface of the layer comprises immobilizing molecules on the surface of a support in which electrical sensors and processor circuits are integrated.